

ICS 65.060.99

CCS

	11
1	1
2	1
3	1
4	2
5	2
6	2
6.1	2
6.2	2
6.3	2
6.4	2
7	3
7.1	3
7.2	3
7.3	3
7.4	5
8	5
8.1	5
8.2	5
8.3	5
8.4	6
9	6
9.1	6
9.2	6
9.3	6
9.4	6
A	7
A.1	7
A.2	7

GB/T 1.1—2020

1

1

2

3.7 carryover ratio

3.8 executi ng uni t

4

5

5.1 A

5.2

6

6.1

6.1.1

6.1.2

6.1.3

6.1.4

6.1.5

6.1.6

6.1.7

6.2

6.2.1

6.2.2

6.3

6.3.1

6.3.2

80μ m GB/T 37400.12-2019
 GB5226.1
 GB/T9969

80dB(A)

30kg/h

1



1

1	/%	1
2	/%	99
3		3:1
4		1:3


6.4

6.4.1

1M



1000V



GHV XXX-2023

1.5mm²

GB 5226.1

6.4.4

GB16798

6.4.5

GB 10395.1

6.4.6

GB 10396, j 6 i

6.4.7

a)

ê

$\frac{m_1 - m_2}{m_1} \times 100\%$
 7.3.2
 1
 7.3.1
 ($\frac{m_1 - m_2}{m_1} \times 100\%$)
 $= \frac{m_1 - m_2}{m_1} \times 100\%$ (2)

$\frac{Q}{T} \times N$
 7.3.3 /
 7.3.3.1 /
 7.3.1
 2min
 /
 (h)
 kg/h
 kg
 0.5h
 1000g
 0.01g
 (3)
 $= \frac{Q}{T} \times N \times 100\%$

$$2 = \frac{9}{10} \dots\dots\dots (6)$$

1——

8.4

8.4.1

6

8.4.2

9

9.1

9.1.1

GB/T 13306

9.1.2

GB/T 191

9.2

9.2.1

GB/T 24854

9.2.2

—
—
—
—

9.3

9.3.1

9.3.2

9.3.3

9.4


9.4.1

9.4.2

A

A.1

A.2



1 7GFF-240A 240